


Wispeco Clip 44 Vistafold Door






Required Inertia (Ix) in cm⁴ at a windload of: **600 Pa**

Profiles	Description	Combined Ix
W44085+W44093	R1+ R3 SP	20.35
W53099+W53666	R11 + R11W	25.58
W53406+W53407	R9 + R9W	34.47



		Door Sash Width W (mm)												
		600	625	650	675	700	725	750	775	800	825	850	875	900
Door Sash Height Hr (mm)	2000	9.04	9.39	9.73	10.07	10.41	10.74	11.07	11.39	11.71	12.03	12.34	12.65	12.95
	2025	9.39	9.75	10.11	10.47	10.82	11.16	11.51	11.84	12.18	12.51	12.83	13.15	13.47
	2050	9.75	10.13	10.50	10.87	11.24	11.60	11.95	12.31	12.65	13.00	13.34	13.67	14.00
	2075	10.12	10.51	10.90	11.29	11.66	12.04	12.41	12.78	13.14	13.50	13.85	14.20	14.55
	2100	10.50	10.91	11.31	11.71	12.11	12.50	12.88	13.26	13.64	14.02	14.38	14.75	15.11
	2125	10.89	11.31	11.73	12.15	12.56	12.96	13.36	13.76	14.16	14.54	14.93	15.31	15.68
	2150	11.29	11.73	12.16	12.59	13.02	13.44	13.86	14.27	14.68	15.08	15.48	15.88	16.27
	2175	11.69	12.15	12.60	13.05	13.49	13.93	14.36	14.79	15.22	15.64	16.05	16.46	16.87
	2200	12.11	12.58	13.05	13.51	13.97	14.43	14.88	15.33	15.77	16.21	16.64	17.06	17.49
	2225	12.54	13.03	13.51	13.99	14.47	14.94	15.41	15.87	16.33	16.79	17.23	17.68	18.12
	2250	12.97	13.48	13.98	14.48	14.98	15.47	15.95	16.43	16.91	17.38	17.85	18.31	18.76
	2275	13.42	13.94	14.46	14.98	15.49	16.00	16.51	17.01	17.50	17.99	18.47	18.95	19.42
	2300	13.87	14.42	14.96	15.49	16.02	16.55	17.07	17.59	18.10	18.61	19.11	19.61	20.10
	2325	14.34	14.90	15.46	16.02	16.57	17.11	17.65	18.19	18.72	19.24	19.76	20.28	20.79
	2350	14.81	15.40	15.98	16.55	17.12	17.68	18.24	18.80	19.35	19.89	20.43	20.97	21.49
	2375	15.30	15.90	16.50	17.10	17.68	18.27	18.85	19.42	19.99	20.56	21.12	21.67	22.22
	2400	15.80	16.42	17.04	17.65	18.26	18.87	19.47	20.06	20.65	21.23	21.81	22.39	22.95
	2425	16.30	16.95	17.59	18.22	18.85	19.48	20.10	20.71	21.32	21.93	22.53	23.12	23.71
	2450	16.82	17.49	18.15	18.80	19.45	20.10	20.74	21.38	22.01	22.63	23.25	23.87	24.47
	2475	17.35	18.04	18.72	19.40	20.07	20.74	21.40	22.06	22.71	23.36	24.00	24.63	25.26
	2500	17.89	18.60	19.30	20.00	20.70	21.39	22.07	22.75	23.42	24.09	24.75	25.41	26.06
	2525	18.44	19.17	19.90	20.62	21.34	22.05	22.76	23.46	24.15	24.84	25.53	26.21	26.88
	2550	19.00	19.76	20.51	21.25	21.99	22.73	23.46	24.18	24.90	25.61	26.32	27.02	27.71
	2575	19.58	20.35	21.13	21.90	22.66	23.42	24.17	24.92	25.66	26.39	27.12	27.85	28.56
	2600	20.16	20.96	21.76	22.55	23.34	24.12	24.90	25.67	26.43	27.19	27.94	28.69	29.43
	2625	20.76	21.58	22.40	23.22	24.03	24.84	25.64	26.43	27.22	28.01	28.78	29.55	30.32
	2650	21.36	22.21	23.06	23.90	24.74	25.57	26.39	27.21	28.03	28.83	29.64	30.43	31.22
	2675	21.98	22.86	23.73	24.60	25.46	26.31	27.16	28.01	28.85	29.68	30.51	31.33	32.14
	2700	22.61	23.51	24.41	25.30	26.19	27.07	27.95	28.82	29.68	30.54	31.39	32.24	33.08
	2725	23.26	24.18	25.11	26.03	26.94	27.85	28.75	29.65	30.54	31.42	32.30	33.17	34.03
2750	23.91	24.86	25.82	26.76	27.70	28.64	29.56	30.49	31.40	32.32	33.22	34.12	35.01	
2775	24.58	25.56	26.54	27.51	28.48	29.44	30.39	31.34	32.29	33.23	34.16	35.08	36.00	
2800	25.25	26.27	27.27	28.27	29.27	30.26	31.24	32.22	33.19	34.15	35.11	36.06	37.01	
2825	25.95	26.98	28.02	29.05	30.07	31.09	32.10	33.11	34.11	35.10	36.09	37.07	38.04	
2850	26.65	27.72	28.78	29.84	30.89	31.94	32.98	34.01	35.04	36.06	37.08	38.08	39.08	
2875	27.37	28.46	29.56	30.64	31.72	32.80	33.87	34.93	35.99	37.04	38.08	39.12	40.15	
2900	28.09	29.22	30.34	31.46	32.57	33.68	34.78	35.87	36.96	38.04	39.11	40.18	41.24	
2925	28.83	29.99	31.15	32.29	33.43	34.57	35.70	36.82	37.94	39.05	40.15	41.25	42.34	
2950	29.59	30.78	31.96	33.14	34.31	35.48	36.64	37.79	38.94	40.08	41.22	42.34	43.46	
2975	30.36	31.58	32.79	34.00	35.21	36.40	37.60	38.78	39.96	41.13	42.30	43.46	44.61	
3000	31.14	32.39	33.64	34.88	36.11	37.34	38.57	39.79	41.00	42.20	43.40	44.59	45.77	
		600	625	650	675	700	725	750	775	800	825	850	875	900
		Door Sash Width W (mm)												




Wispeco Clip 44 Vistafold Door




Required Inertia (Ix) in cm⁴ at a windload of: **1000 Pa**


Profiles	Description	Combined Ix
W44085+W44093	R1+ R3 SP	20.35
W53099+W53666	R11 + R11W	25.58
W53406+W53407	R9 + R9W	34.47




		Door Sash Width W (mm)												
		600	625	650	675	700	725	750	775	800	825	850	875	900
Door Sash Height Hr (mm)	2000	15.07	15.65	16.22	16.79	17.35	17.90	18.45	18.99	19.52	20.05	20.57	21.08	21.58
	2025	15.65	16.26	16.85	17.44	18.03	18.61	19.18	19.74	20.30	20.84	21.39	21.92	22.44
	2050	16.25	16.88	17.50	18.12	18.73	19.33	19.92	20.51	21.09	21.66	22.23	22.78	23.33
	2075	16.87	17.52	18.17	18.81	19.44	20.07	20.69	21.30	21.90	22.50	23.09	23.67	24.24
	2100	17.50	18.18	18.85	19.52	20.18	20.83	21.47	22.11	22.74	23.36	23.97	24.58	25.18
	2125	18.15	18.85	19.55	20.24	20.93	21.60	22.27	22.94	23.59	24.24	24.88	25.51	26.13
	2150	18.81	19.54	20.27	20.98	21.70	22.40	23.10	23.79	24.47	25.14	25.81	26.46	27.11
	2175	19.49	20.25	21.00	21.75	22.48	23.22	23.94	24.66	25.36	26.06	26.76	27.44	28.11
	2200	20.18	20.97	21.75	22.52	23.29	24.05	24.80	25.55	26.28	27.01	27.73	28.44	29.14
	2225	20.89	21.71	22.52	23.32	24.12	24.90	25.68	26.46	27.22	27.98	28.72	29.46	30.19
	2250	21.62	22.46	23.30	24.14	24.96	25.78	26.59	27.39	28.18	28.97	29.74	30.51	31.27
	2275	22.36	23.24	24.11	24.97	25.82	26.67	27.51	28.34	29.16	29.98	30.79	31.58	32.37
	2300	23.12	24.03	24.93	25.82	26.71	27.58	28.45	29.32	30.17	31.02	31.85	32.68	33.50
	2325	23.90	24.84	25.77	26.69	27.61	28.52	29.42	30.31	31.20	32.07	32.94	33.80	34.65
	2350	24.69	25.66	26.63	27.58	28.53	29.47	30.41	31.33	32.25	33.16	34.05	34.94	35.82
	2375	25.50	26.51	27.50	28.49	29.47	30.45	31.41	32.37	33.32	34.26	35.19	36.11	37.03
	2400	26.33	27.37	28.40	29.42	30.44	31.44	32.44	33.44	34.42	35.39	36.35	37.31	38.25
	2425	27.17	28.25	29.31	30.37	31.42	32.46	33.50	34.52	35.54	36.54	37.54	38.53	39.51
	2450	28.04	29.15	30.25	31.34	32.42	33.50	34.57	35.63	36.68	37.72	38.76	39.78	40.79
	2475	28.92	30.06	31.20	32.33	33.45	34.56	35.67	36.76	37.85	38.93	39.99	41.05	42.10
	2500	29.82	31.00	32.17	33.34	34.50	35.65	36.79	37.92	39.04	40.15	41.26	42.35	43.43
	2525	30.74	31.95	33.17	34.37	35.56	36.75	37.93	39.10	40.26	41.41	42.55	43.68	44.80
	2550	31.67	32.93	34.18	35.42	36.65	37.88	39.09	40.30	41.50	42.69	43.86	45.03	46.19
	2575	32.63	33.92	35.21	36.49	37.76	39.03	40.28	41.53	42.76	43.99	45.21	46.41	47.61
	2600	33.60	34.94	36.26	37.58	38.90	40.20	41.49	42.78	44.05	45.32	46.57	47.82	49.05
	2625	34.59	35.97	37.34	38.70	40.05	41.40	42.73	44.05	45.37	46.68	47.97	49.26	50.53
	2650	35.61	37.02	38.43	39.84	41.23	42.61	43.99	45.36	46.71	48.06	49.39	50.72	52.03
	2675	36.64	38.10	39.55	40.99	42.43	43.86	45.27	46.68	48.08	49.47	50.85	52.21	53.57
	2700	37.69	39.19	40.69	42.17	43.65	45.12	46.58	48.03	49.47	50.90	52.32	53.73	55.13
	2725	38.76	40.31	41.85	43.38	44.90	46.41	47.92	49.41	50.89	52.37	53.83	55.28	56.72
	2750	39.85	41.44	43.03	44.60	46.17	47.73	49.27	50.81	52.34	53.86	55.37	56.86	58.35
	2775	40.96	42.60	44.23	45.85	47.46	49.06	50.66	52.24	53.81	55.38	56.93	58.47	60.00
	2800	42.09	43.78	45.45	47.12	48.78	50.43	52.07	53.70	55.32	56.92	58.52	60.11	61.68
	2825	43.24	44.97	46.70	48.41	50.12	51.81	53.50	55.18	56.84	58.50	60.14	61.78	63.40
	2850	44.42	46.20	47.97	49.73	51.48	53.23	54.96	56.69	58.40	60.10	61.79	63.47	65.14
	2875	45.61	47.44	49.26	51.07	52.87	54.67	56.45	58.22	59.98	61.73	63.47	65.20	66.92
	2900	46.82	48.70	50.57	52.43	54.29	56.13	57.96	59.78	61.59	63.39	65.18	66.96	68.73
	2925	48.06	49.99	51.91	53.82	55.72	57.62	59.50	61.37	63.23	65.08	66.92	68.75	70.57
	2950	49.32	51.30	53.27	55.23	57.19	59.13	61.07	62.99	64.90	66.80	68.69	70.57	72.44
	2975	50.59	52.63	54.65	56.67	58.68	60.67	62.66	64.64	66.60	68.55	70.50	72.43	74.34
	3000	51.89	53.98	56.06	58.13	60.19	62.24	64.28	66.31	68.33	70.33	72.33	74.31	76.28
		600	625	650	675	700	725	750	775	800	825	850	875	900
		Door Sash Width W (mm)												



W44085 + W44093



W53099 + W53666




W53406 + W53407

Wispeco Clip 44 Vistafold Door




Required Inertia (Ix) in cm⁴ at a windload of: **1500 Pa**


Profiles	Description	Combined Ix
W44085+W44093	R1+ R3 SP	20.35
W53099+W53666	R11 + R11W	25.58
W53406+W53407	R9 + R9W	34.47




		Door Sash Width W (mm)												
		600	625	650	675	700	725	750	775	800	825	850	875	900
Door Sash Height Hr (mm)	2000	22.60	23.47	24.33	25.18	26.02	26.85	27.67	28.48	29.28	30.07	30.85	31.61	32.37
	2025	23.48	24.38	25.28	26.17	27.04	27.91	28.76	29.61	30.44	31.27	32.08	32.88	33.66
	2050	24.38	25.32	26.25	27.18	28.09	28.99	29.88	30.76	31.63	32.49	33.34	34.17	35.00
	2075	25.31	26.28	27.25	28.21	29.16	30.10	31.03	31.95	32.85	33.75	34.63	35.50	36.36
	2100	26.25	27.27	28.28	29.27	30.26	31.24	32.21	33.16	34.11	35.04	35.96	36.87	37.76
	2125	27.22	28.28	29.33	30.36	31.39	32.41	33.41	34.41	35.39	36.36	37.32	38.26	39.20
	2150	28.22	29.31	30.40	31.48	32.54	33.60	34.65	35.68	36.70	37.71	38.71	39.69	40.67
	2175	29.23	30.37	31.50	32.62	33.73	34.82	35.91	36.98	38.05	39.10	40.13	41.16	42.17
	2200	30.27	31.45	32.63	33.79	34.94	36.07	37.20	38.32	39.42	40.51	41.59	42.66	43.71
	2225	31.34	32.56	33.78	34.98	36.17	37.36	38.53	39.68	40.83	41.97	43.09	44.20	45.29
	2250	32.43	33.70	34.96	36.20	37.44	38.67	39.88	41.08	42.27	43.45	44.62	45.77	46.90
	2275	33.54	34.86	36.16	37.45	38.74	40.01	41.27	42.51	43.75	44.97	46.18	47.37	48.56
	2300	34.68	36.04	37.39	38.73	40.06	41.38	42.68	43.97	45.26	46.52	47.78	49.02	50.24
	2325	35.85	37.25	38.65	40.04	41.41	42.78	44.13	45.47	46.80	48.11	49.41	50.70	51.97
	2350	37.04	38.49	39.94	41.37	42.80	44.21	45.61	47.00	48.37	49.73	51.08	52.42	53.73
	2375	38.25	39.76	41.25	42.74	44.21	45.67	47.12	48.56	49.98	51.39	52.79	54.17	55.54
	2400	39.49	41.05	42.60	44.13	45.66	47.17	48.67	50.15	51.63	53.09	54.53	55.96	57.38
	2425	40.76	42.37	43.97	45.56	47.13	48.69	50.24	51.78	53.31	54.82	56.31	57.80	59.26
	2450	42.06	43.72	45.37	47.01	48.64	50.25	51.86	53.45	55.02	56.58	58.13	59.67	61.19
	2475	43.38	45.09	46.80	48.49	50.17	51.84	53.50	55.14	56.77	58.39	59.99	61.58	63.15
	2500	44.73	46.50	48.26	50.01	51.74	53.47	55.18	56.88	58.56	60.23	61.89	63.53	65.15
	2525	46.10	47.93	49.75	51.55	53.35	55.13	56.89	58.65	60.38	62.11	63.82	65.52	67.20
	2550	47.51	49.39	51.27	53.13	54.98	56.82	58.64	60.45	62.25	64.03	65.79	67.55	69.28
	2575	48.94	50.88	52.82	54.74	56.65	58.54	60.42	62.29	64.14	65.98	67.81	69.62	71.41
	2600	50.40	52.41	54.40	56.38	58.35	60.30	62.24	64.17	66.08	67.98	69.86	71.73	73.58
	2625	51.89	53.96	56.01	58.05	60.08	62.09	64.09	66.08	68.06	70.01	71.96	73.88	75.79
	2650	53.41	55.54	57.65	59.75	61.84	63.92	65.98	68.03	70.07	72.09	74.09	76.08	78.05
	2675	54.96	57.15	59.32	61.49	63.64	65.78	67.91	70.02	72.12	74.20	76.27	78.32	80.35
	2700	56.53	58.79	61.03	63.26	65.48	67.68	69.87	72.05	74.21	76.36	78.49	80.60	82.70
	2725	58.14	60.46	62.77	65.07	67.35	69.62	71.87	74.11	76.34	78.55	80.75	82.92	85.08
	2750	59.77	62.16	64.54	66.90	69.25	71.59	73.91	76.22	78.51	80.79	83.05	85.29	87.52
	2775	61.44	63.90	66.34	68.77	71.19	73.60	75.99	78.36	80.72	83.07	85.39	87.70	90.00
	2800	63.14	65.66	68.18	70.68	73.17	75.64	78.10	80.54	82.97	85.39	87.78	90.16	92.52
	2825	64.86	67.46	70.05	72.62	75.18	77.72	80.25	82.77	85.27	87.75	90.21	92.66	95.09
	2850	66.62	69.29	71.95	74.59	77.23	79.84	82.44	85.03	87.60	90.15	92.69	95.21	97.71
	2875	68.41	71.16	73.89	76.61	79.31	82.00	84.67	87.33	89.97	92.60	95.21	97.80	100.38
	2900	70.23	73.05	75.86	78.65	81.43	84.19	86.94	89.67	92.39	95.09	97.78	100.44	103.09
	2925	72.09	74.98	77.86	80.73	83.59	86.43	89.25	92.06	94.85	97.63	100.39	103.13	105.85
	2950	73.97	76.95	79.91	82.85	85.78	88.70	91.60	94.49	97.35	100.21	103.04	105.86	108.66
	2975	75.89	78.94	81.98	85.01	88.02	91.01	93.99	96.95	99.90	102.83	105.74	108.64	111.51
	3000	77.84	80.97	84.09	87.20	90.29	93.36	96.42	99.46	102.49	105.50	108.49	111.46	114.42
		600	625	650	675	700	725	750	775	800	825	850	875	900
		Door Sash Width W (mm)												



W44085 + W44093



W53099 + W53666



W53406 + W53407